

AC 110

Cummins  
Mecc Alte  
P 602



ISO8528

GC ; ) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#( #

ž) \$' ž'ž' D:

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	144,00

fPGE

GC ; ) &

) & ž

fDF DE

%\$!

%

%&

GC " \$(\*\*

ž&(

GC

ALTERNATOR

TRANSFER SWITCH

# AC 110

Cummins  
Mecc Alte  
P 602

Manufacturer		Cummins		
Model		6BTA 5,9-G5		
		% \$\$\$' "# "		
		%&Z\$\$' "		
		0% +Z\$\$<DQ		
	L	5,900		
	"	102 x 120		
		17,6:1		
	fl # 7	"# "	1500	
	fl 7	L	16,40	
		L	19,80	
AbsorbedAirDischargeReSourceKey.Text	' # "	7,86		
	' # "	216,00		
	' # "	21,42		
	° C	533,00		
		12 V d.c.		
	Load	\$\$\$i	'+)	) \$i
	# "	25,00	18,00	12,00

		Mecc Alte		
		ECP34 - 2S/4		
	Hz	50		
	"	105,00		
7 cg'		0,80		
		3		
	fl 7	400/230		
Temperature		H		

		fl 7		fl 7	
	"	"	"	"	L
AC 110	1250,00	2150,00	1050,00	1563,00	240,00
		fl 7		fl 7	
	"	"	"	"	L
AK 40	1600	3100	1057	1670	240

# AC 110

Cummins  
Mecc Alte  
P 602

## 1 D \* \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[ Yf]bZcfa Uh]cbE'Vi hrcb''
- 4 7 ca a cb U'Ufa ]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfU]cb'gY'YVW]b[ 'Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg: U]i fy Vēbffc''a cXi 'Y'  
6UHYfmVUf[ Yf]bdi h%, !&\*( 'j c'hžci rdi h''&+ž' 'j ) '5'f&( 'j E'cf%' ž 'j c'h) 5'f%&J Ł  
9a Yf[ YbVhgrcd' di g\ 'Vi hrcb'UbX Ž gYg Z'fVēbffc''V]fVW ]hg''

7 ca dcbYbrg]bghU''YX ]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa ]WždfY!VēU]b[ 'cZghYY''dfcj ]XYg Vēffcg]cb  
fYg]ghUbhgi fZUW''Dc'mYgHY'Vēa dcg]HY' dck XYf'rcdVēUhZcfa g\][ \ [ 'cgg'UbX'Yi fYa Y'mXi fUV'Y Ž]b]g\''@cV\UV'Y  
UbX\]b[ YX'dUbY'Xccf'dfcj ]XYg YUgmUWV'gg hc''Vēa dcbYbrg''

'7 cbffc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k ]h' ghYY''ghUbX''@cWUHYX'Uhih'Y'f][ \hg]XY'cZh'Y [ YbYfUhc'f'gyhfk \Yb'mci  
'cc\_'Uhih'Y; Yb''GYH'Zca '5'HYfbUhc'fŁ

H\Y''8G9''\$&\$'j'U'ghUbXUfX'Vēbffc''a cXi 'Y'Z'f'ci f [ YbYfUhc'f'gYhg'i d'hc'&\$\$\_J 5'UbX'ih\Ug'VYYb'XYg][ bYX'hc  
ghUfhUbX'ghcd'X]YgY'UbX'[ Ug[ YbYfUhc'f'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][ bYX'hc'a cb]rcf [ YbYfUhc'f  
Z'Yei YbVhžj c'ž'W'fYb'ž'Yb[ ]b'Y'c' ]dfYggi fYžVēc'UbhiYa dYfUhi fy'fi bb]b[ \ci fg'UbX'VUHY'fmj c'hg''A cXi 'Y  
a cb]rcf'g'h'Y'a U]bg'gi dd'mUbX'gk ]W'c] Yf'hc'h'Y [ YbYfUhc'f'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc  
]bX]WUHY'g'cdYfU]cbU'ghUhi g'UbX'Zji 'hVēbX]h]cbgž'5i hca U]hW'mg\i h]b[ 'Xck b'h'Y; Yb''GYhUbX'[ ] ]b[ 'hfi Y'Zfghi d  
Zji 'hVēbX]h]cb'cZ; Yb''GYhZU]i fy''H\Y'@7 8'X]gd'Um]bX]WUHY'g'h'Y'Zji 'h'

A ]WēdfcW'ggcf'Vēbffc''YX"  
@7 8'X]gd'Uma U\_Yg ]bZcfa Uh]cb'YUgmhc'fYUX"  
(! ]bYž\*( '1'%'&d] ]Y'X]gd'Um'

5i hca U]hW'mifUbgZ'fg'VYh'YYb'a U]bg'fi h]h'hc'UbX [ YbYfUhc'f'dck Yf'  
A Ubi U'dfc [ fUa a ]b[ 'cb'Z'cbhdUbY''  
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb''Uhc'i h'  
F Ya chY'ghUf'h'  
9j Ybh'c [ [ ]b[ 'f] h'g\ck ]b[ 'XUHY'UbX'h'a Y''  
7 cbffc'g' Ghcd# YgYhž'A Ubi U'ž'5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYi hrc'h'Y'@7 8'X]gd'Um]g  
i gYX'hc'gVfc''h'fci [ \ h'Y'a cXi 'Y'gfa YHYf]b[ 'X]gd'Umg''

# AC 110

Cummins  
Mecc Alte  
P 602

9B: #9  
 9b[ ]bY'gdYYX"  
 C]'dfYggi fY"  
 7cc'UbhY'a dYfUhi fY"  
 F i b' hja Y"  
 6UHYfmj c'rg"  
 7cbZ[ i fUV'Y hja ]b[ "  
 ; 9B9F 5HCF  
 J c' hU[ Y f@ @B' "  
 7i ffYbhf@&!@ E"  
 : fYei YbVW"  
 A 5-BG  
 J c' hU[ Y f@ @B' "  
 : fYei YbVW"  
 A U]bg'fYUXn"  
 A U]bg'YbUV'YX"  
 ; Yb"GYhfYUXn"  
 ; Yb"GYhYbUV'YX"

K 5F B-B:  
 7\Uf[ Y Z]i fY"  
 6UHYfm@ck # ] [ \ j c' hU[ Y"  
 : U] h' ghcd"  
 @ck # ] [ \ [ YbYfUhc'f j c' hU[ Y"  
 I bXYf#j Yf [ YbYfUhc'f ZYei YbVW"  
 Cj Yf# bXYf'gdYYX"  
 @ck c]'dfYggi fY"  
 <] [ \ V'c'UbhY'a dYfUhi fY"  
 G<I H8CK BG  
 : U] h' ghUf"  
 9a Yf [ YbVW'ghcd"  
 @ck c]'dfYggi fY"  
 <] [ \ V'c'UbhY'a dYfUhi fY"  
 Cj Yf# bXYf'gdYYX"  
 I bXYf#j Yf [ YbYfUhc'f ZYei YbVW"  
 I bXYf#j Yf [ YbYfUhc'f c' hU[ Y"  
 C]'dfYggi fY'gYbgcf'cdYb"  
 7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
 9@97 HF =75@HF -D  
 ; YbYfUhc'f j YfW ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z  
 dfYggi fY'Z dYfVW'bhU[ Y f'k Ufb]b[ #]i f'Xck b# 'YVW'VW' h'f'dE  
 @c'W'gYh]b[ 'dUfUa YHfg'UbX'a cb]h'f]b[ 'Zca 'D7 h'c  
 V'c'UbhY'a cXi 'Y k ]h' I G6 V'c'UbhY'a dYfUhi fY'Z

9'YVW'VW' GUZYhm#9A 7 V'c'UbhY'a dYfUhi fY'Z  
 9'YVW'VW' Vi g]bYgg'Yei ]da Ybh  
 6G'9B \*%\$!\*&9A 7 ]a a i b]mghUbxUfX"  
 6G'9B \*%\$!\*&9A 7 Ya ]gg]cb'ghUbxUfX

'6UHYfmVUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' gk ]h'W]b[ !a cXY'UbX'GA 8 fYV'bc'c[ mUbX'ih\Ug\ ] [ \ YZ]VW'VW' 6UHYfmVUf[ Yf  
 a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g' ]'Ua dYfz% z ]'Zcf'%&j c'hUbX'&+Z' ]'Zcf'&'( ]'  
 #bdi h% , ' ! &\* ( j c'h57 "" Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chV'VW]hdfchV'VW]cb'UbX'ihVWb'VY' i gYX'Ug'U'W'ffYbhgci fVW"  
 Dfc]bY'&(\$) #&(\$) VUf[ Yf\Ug\ ] [ \ YZ]VW'VW'cb[ ]Z'Z'ck ZU]i fY'fUfY'Z ] [ \ hk Y ] [ \ hUbX'ck \YUhfUX]UfYX ]b  
 UVV'cfXUbW'k ]h' ]bYUf'U'fY'fbU]h'j Yg' H\Y'VUf[ Yf ]g'Z]h'YX'k ]h' U'dfchV'VW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[ Y'Z]  
 fY'UmV'c] VY'hk Y'Yb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]h'f'hc'fYXi V'Y'VW'VW'bc]gY'fUX]UfYX  
 Zca 'h'Y'XY'j]V'"; Uj Ub]W' m]gc'UfYX ]bdi hUbX'ci hdi h]m]VW'm(\_J'Zcf'\ ] [ \ fY' ]UV] ]m'

# AC 110

Cummins  
Mecc Alte  
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240